ø610 mm Radome (24") Type

Beam Width

Horizontal 3.9° typical (-3dB)

Adjustable between 2° and 3.9°

(effective with RezBoost control)

25° Vertical

Antenna Rotation Speed 24*/36/48 rpm

* In dual range mode, speed is limited to 24 rpm

RF TRANSCEIVER

Frequency

Ch#	PON (MHz)	Q0N (MHz)
1	9380	9400
2	9400	9420
3	9420	9440

Pulselength & PRR P0N: 0.08 μs to 1.2 μs / 1100 Hz

Q0N: 5 μs to 18 μs / 1100 Hz

Peak Output Power Solid-state, 25 W 0.0625 to 36* nm Range Scales

* In dual range mode, range is limited to 12 nm

ARPA TARGET TRACKING Up to 100 targets

12-24 VDC: 2.5-1.3 A **POWER SUPPLY**

Temperature: -25°C to +55°C **ENVIRONMENT**

Humidity: 93% or less at +40°C

Waterproofing: IP26

EQUIPMENT LIST Standard

1. Antenna Unit RSB-135-115 2. Cable Assembly 10/15/20/30m

3. Spare Parts


Option


1. Radome Mount OP03-208


2. Retrofit Kit OP03-239 3. LAN Cable 2/5/10 m 4. Joint Box TL-CAT-012

24" Radome Solid State Doppler Radar **DRS4D-NXT**

7.3 kg 16.1 lb







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Beware of similar products

All brand and product names are registered trademarks, trademarks or service marks of their respective holders.

FURUNO SINGAPORE

FURUNO DEUTSCHLAND GmbH

FURUNO HELLAS S.A.

FURUNO CHINA CO., LTD.

FURUNO SHANGHAI CO., LTD.

16025SK Printed in Japan



SOLID STATE DOPPLER RADAR Model DRS4D-NXT




















FURUNO SVERIGE AB

DRS4D-NXT, the NXT leap in Radar technology

A Solid-State Radar with pulse compression, Target Analyzer[™] and Fast Target Tracking[™] utilizing Doppler technology. Combined with FURUNO's exclusive RezBoost[™] technology, the DRS4D-NXT packs the performance of an open array radar,








technology spots hazardous targets instantly! The DRS4D-NXT is the first radar in the world to use the new FURUNO exclusive Target Analysis.



The DRS4D-NXT is the first radar in the world to use the new FURUNO exclusive Target Analyzer™ function. Targets that are approaching your vessel automatically change color to help you identify when they are hazardous. Green echoes are targets that stay stationary, or are moving away from you, while red echoes are hazardous targets that are moving towards your vessel.

Target Analyzer™ function utilizing Doppler

Echoes dynamically change colors as targets approach, or get farther away from your vessel. Target Analyzer™ improves situational awareness and can increase safety by showing you which targets to look out for.



Hazardous targets are displayed in bright red



See moving targets close to structures clearly with Target Analyzer™

- NXT, Solid-State pulse compression Doppler Radar
- ► Revolutionary Target AnalyzerTM function instantly identifies hazardous targets
- ► Fast Target Tracking[™], up to 100 targets
- ▶ RezBoostTM beam sharpening, equivalent to 2 degree beam width open array
- ► Compact 24" radome with 25 W output power


- ▶ Bird Mode, track birds to find the best fishing grounds
- Simple installation, no need to open the radome, external PSU is not required
- ▶ New smart-connector cable for retro fitting existing DRS cable installations
- ▶ No warm-up time

NEW RezBoost™ beam sharpening




For the first time, FURUNO's exclusive
RezBoost™ technology has been
incorporated into one of our Radar units,
with impressive performance.
With RezBoost™ set to MAX, the

sharpness equivalent of a 2 degree beam width can be achieved. With RezBoost™, you'll see more detailed targets, with less clutter.




RezBoost™ standard

NO NXT



RezBoost™ Enhanced, MAX setting

NEW Bird Mode



Bird echoes




Actual scene

DRS4D-NXT features a new bird mode that helps you identify birds gathering around schools of fish at the sea surface. Bird mode adjusts the gain and sea settings automatically for optimal visibility.

NEW Fast Target Tracking™

It only takes a few seconds after a target has been selected until a speed and course vector is displayed. With accurate tracking information, estimation of other vessel's course and speed is greatly simplied. With Fast Target Tracking™ activated, any vessel approaching yours will automatically display a target vector, as well as sound an alarm*. Up to 100 targets can be displayed simultaneously.

*TCPA setting required



Approaching vessel with target vector